


# TEKAPŌ 700RC

23' | 2+ BERTH | CLUB LOUNGE



CARAVAN LENGTH: 23' / 7m OVERALL LENGTH: 8.6m HEIGHT: 2.9m WIDTH: 2.45M WEIGHT: 2700kg (approx.) PAYLOAD: 800kg (approx.) ATM: 3500kg



## TEKAPŌ 700RC **EXTERIOR** DETAILS

#### **OPTIONS AVAILABLE**

Width 2. Chassis H. Suspension Re Brakes 10 Wheels 15 Coupling St Tare weight 27 Ball loading at tare 26 ATM 38 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25	7m, 23' (8.6m including drawbar) 2.45m Hot dip galvanised Roller Rocker 3500KG (tandem axle) with shockers 10", electric drum brakes 15" alloy, 6 stud 235/75 Standard 50mm ball 2700kg (approx.) 260kg (approx.) 28500kg 2 arms, with spare wheel bolted on 2x 95l, monitored 2x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Painted pre-galvanised Independent suspension; airbags, etc Redarc Towpro brake controller in car 16"; wheel spats; coloured wheels DO35; others on request  4 arm; spare wheel underslung Up to 5x total (including grey water) Up to 5x total (including fresh tanks) Enclose in front toolbox Electric step Increase Ah; increase number; upgrade to lithium Redarc Manager 30; Redarc RedVision; Others on request
Chassis H Suspension Re Brakes 10 Wheels 15 Coupling St Tare weight 27 Ball loading at tare 26 ATM 35 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery St Battery St Battery St	Hot dip galvanised Roller Rocker 3500KG (tandem axle) with shockers 10", electric drum brakes 15" alloy, 6 stud 235/75 Standard 50mm ball 2700kg (approx.) 260kg (approx.) 2500kg 2 arms, with spare wheel bolted on 2x 95l, monitored 1x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Independent suspension; airbags, etc Redarc Towpro brake controller in car 16"; wheel spats; coloured wheels DO35; others on request  4 arm; spare wheel underslung Up to 5x total (including grey water) Up to 5x total (including fresh tanks) Enclose in front toolbox Electric step Increase Ah; increase number; upgrade to lithium Redarc Manager 30; Redarc RedVision;
Suspension Robrates 10 Brakes 10 Wheels 15 Coupling St Tare weight 27 Ball loading at tare 26 ATM 35 Rear bumper 2 Water tanks 22 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery St Battery St	Roller Rocker 3500KG (tandem axle) with shockers  10", electric drum brakes  15" alloy, 6 stud 235/75  Standard 50mm ball  2700kg (approx.)  260kg (approx.)  3500kg  2 arms, with spare wheel bolted on  2x 95l, monitored  2x 9kg Cradles (one bottle included)  Manual aluminium step  2x 100Ah battery in metal box on chassis  Standard (basic)	Independent suspension; airbags, etc Redarc Towpro brake controller in car 16"; wheel spats; coloured wheels DO35; others on request  4 arm; spare wheel underslung Up to 5x total (including grey water) Up to 5x total (including fresh tanks) Enclose in front toolbox Electric step Increase Ah; increase number; upgrade to lithium Redarc Manager 30; Redarc RedVision;
Brakes 10 Wheels 15 Coupling St Tare weight 27 Ball loading at tare 26 ATM 35 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery St management St	10", electric drum brakes 15" alloy, 6 stud 235/75 Standard 50mm ball 12700kg (approx.) 1260kg (approx.) 13500kg 12 arms, with spare wheel bolted on 12x 95l, monitored 1x 95l, monitored 1x 9kg Cradles (one bottle included) 1x Manual aluminium step 1x 100Ah battery in metal box on chassis 1x 5tandard (basic)	Redarc Towpro brake controller in car  16"; wheel spats; coloured wheels  DO35; others on request  4 arm; spare wheel underslung  Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Wheels 15 Coupling St Tare weight 27 Ball loading at tare 26 ATM 35 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery St Battery St	5" alloy, 6 stud 235/75 Standard 50mm ball 2700kg (approx.) 260kg (approx.) 3500kg 2 arms, with spare wheel bolted on 2x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	16"; wheel spats; coloured wheels  DO35; others on request  4 arm; spare wheel underslung  Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Coupling St Tare weight 27 Ball loading at tare 26 ATM 36 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery St management St	Standard 50mm ball 2700kg (approx.) 260kg (approx.) 2500kg 2 arms, with spare wheel bolted on 2x 95l, monitored x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	DO35; others on request  4 arm; spare wheel underslung  Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Tare weight 27 Ball loading at tare 26 ATM 35 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery Step Battery Step	2700kg (approx.) 260kg (approx.) 3500kg 2 arms, with spare wheel bolted on 2x 95l, monitored 2x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	4 arm; spare wheel underslung Up to 5x total (including grey water) Up to 5x total (including fresh tanks) Enclose in front toolbox Electric step Increase Ah; increase number; upgrade to lithium Redarc Manager 30; Redarc RedVision;
Ball loading at tare 26 ATM 36 Rear bumper 2 Water tanks 25 Grey water tank 1x Gas bottles 25 Entry step M Battery 25 Battery Step Step Step Step Step Step Step Step	260kg (approx.) 3500kg 2 arms, with spare wheel bolted on 2x 95l, monitored 2x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
ATM 38 Rear bumper 2 Water tanks 2 Grey water tank 1x Gas bottles 2 Entry step M Battery 2 Battery St management St	2 arms, with spare wheel bolted on 2x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Rear bumper 2 Water tanks 2 Grey water tank 1x Gas bottles 2 Entry step M Battery 2 Battery St management	2 arms, with spare wheel bolted on 2x 95l, monitored x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Water tanks 2x Grey water tank 1x Gas bottles 2x Entry step M Battery 2x Battery St management	2x 95l, monitored x 95l, monitored 2x 9kg Cradles (one bottle included) Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Up to 5x total (including grey water)  Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Grey water tank  Gas bottles  Entry step  Battery  Battery  Management	2x 95l, monitored 2x 9kg Cradles (one bottle included)  Manual aluminium step 2x 100Ah battery in metal box on chassis  Standard (basic)	Up to 5x total (including fresh tanks)  Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Gas bottles 2x Entry step M Battery 2x Battery St management	2x 9kg Cradles (one bottle included)  Manual aluminium step  2x 100Ah battery in metal box on chassis  Standard (basic)	Enclose in front toolbox  Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Entry step M Battery 2> Battery St management	Manual aluminium step 2x 100Ah battery in metal box on chassis Standard (basic)	Electric step  Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Battery 2x Battery St management	2x 100Ah battery in metal box on chassis Standard (basic)	Increase Ah; increase number; upgrade to lithium  Redarc Manager 30; Redarc RedVision;
Battery St management	Standard (basic)	upgrade to lithium  Redarc Manager 30; Redarc RedVision;
management		0 1
Windows Ra	Ranger windows, with integrated concertina fly mesh & blinds	Front window, +/- protector shield
Entry door D	Dometic, black, with lockable security mesh	
	Black, 570mm high	Silver checkerplate (no charge)
Exterior cladding Al	Aluminium composite panelling – charcoal, silver or white	Upgrade to full colour range. Scale back to aluminium corrugate cladding
Decals Yo	our choice of colours	
Insulation Fu	-ull (walls and roof)	Insulated floor panel
Roof hatches 3x	3x 450x400	4x; or increase size to 700X500
Power (fan) hatches 1x	x 324x324	
Exterior picnic table 80	300x450 with LED light	Additional picnic table(s)
Awning D	Dometic 8300, + cradle	Customer supply
Tunnel boot 2x	2x full, at front and rear of van	
Exterior lights 3>	3x LED, 1x door handle light	Additional lights on front and rear
External power 1x points	x 240v, and 1x 12v	
	2 pin & Anderson plug	Change to 7 pin if suitable
	2x 170w	Up to 6x 170w
	Wired camera, with monitor for in car	Wireless
-	Standard electric breakaway system	
	Black flush mounted 16v power inlet	
	/es, hot and cold with exterior light	
	/es, on A-frame	
	/es, bayonet	
- '	x External	Add More
	ncluding External Wiring Kit	Add Wore

## **UPGRADE YOUR ADVENTURE**

## TEKAPŌ 700RC **INTERIOR** DETAILS

#### **OPTIONS AVAILABLE**

Stove	4x gas stove, grill, and oven	Fanforced; stove and grill only. Outdoor kitchens available
Rangehood	Ranger 12v, flush mount	
Fridge	Dometic 3 way fridge RUA6408x (190I)	Dometic RUC6408x compressor (12v) Increase capacity to (216l) Other options available on request
Audio/Video	USB/AUX/Bluetooth/Radio with 2x internal and 2x external speakers	Upgrade options available
Heater	Diesel heater	Gas heater; Air conditioning
Internal lights	LED	
Hot water system	Swift gas & electric	Continuous hot water system, Truma combi system
Water pump	12v	
Shower	Large 750 x 900, with easy entry, sliding opaque glass door. Chrome shower slide	Upgrade to black shower slide
Toilet	Dometic Swivel toilet, with china bowl. 16l waste cassette.	
Bathroom	Chrome tapware, white countertop square sink	Upgrade to black tapware
Cupboard colours	Your choice of colours	
Benchtop & tabletop	Your choice of laminate	
Splashback	Your choice of colours	
Vinyl flooring	Your choice of vinyl	
Upholstery	Your choice of leatherette	Upgrade to full colour range (no charge)
Cupboard hinges	Household standard x2	
Overhead cupboard handles	Concealed latches with 2x gas struts	
Lower cupboard handles	Your choice of handles	
Mattress	Queen size, pillow top mattress	Bolster mattress (for shorter day bed)
Wardrobes	Cubbyholes, with power points/12v inside. Shelves or hanging robes	
Pantry	Full height with slide out modules	
Table	Fully adjustable table (nuovo mapa), that converts to an additional bed	
Master bed	Queen bed, with pillow-top mattress	
USB Points	3x Internal (berdoom & lounge)	Add More

### OTHER POPULAR ADD-ON'S

Front toolbox	On drawbar, for gas bottle and other storage. (Includes 2x slides, and drawbar extension of 350mm)	
BBQ slideout, or Outdoor kitchen	In front tunnel boot, near gas point	
Bike rack	Adaptor for bike rack that attaches to rear bumper	
Microwave	In overhead cupboard in kitchen	
Washing machine	Top loader or front loader	
Black pack	Upgrade to black tapware, kitchen sink, and shower slide	
Increase headroom	Raise height of caravan by 50mm overall	
TV & antenna	Your choice & cost. Fitted in NZ. (Visit www.rse.co.nz)	



#### WARRANTY

Structural chassis: 5 years Body/build: 3 years Appliances: manufacturer's warranty Specifications correct at time of printing. Subject to change.















Join the INSIDEOUTRY INSIDER FB group!